

# What's **New**

**Spring 2014**

**Dimmers and switches**

**Sensors**

**Energi TriPak® wireless solutions**

**LED drivers**

**Ballasts**

**Receptacle control solutions**

**Quantum®**

**eTools**

**Residential solutions**


**Fixture solutions**




Quantum Vue™

# Contents


## Dimmers and switches pg 1-2



## Sensors pg 3-4



## Energi TriPak® wireless solutions pg 5-8



## LED drivers pg 9-10



## Ballasts pg 11



## The Lutron Advantage

---

### 250W C-L® dimmer

- C-L technology provides superior dimming and ensures light bulb compatibility

### Nova T<sup>☆</sup>® dimmer for 0–10V control

- Spec grade 0-10V control

### Sensors

- Lutron quality and performance, now in a sensor
- XCT™ technology
- Durable design
- Models for any application/all lighting loads

### Energi TriPak® wireless solutions

- Wireless solutions for any budget
- Simple retrofit; installs 70% faster than wired systems
- XCT technology and Clear Connect® wireless communication
- Meet energy codes and standards


### LED drivers

- Unmatched LED dimming performance
- EcoSystem digital addressability and BMS integration
- Guaranteed compatibility between controls, drivers, and sensors


### Ballasts

- Superior dimming performance and reliability


## Receptacle control solutions pg 12




## Quantum® pg 13




## eTools pg 15-17



## Residential solutions pg 18



## Fixture solutions pg 19-20



## The Lutron Advantage

---

### Receptacle control solutions

- Meet new automatic receptacle control requirements
- A solution for single rooms, whole floors, and whole buildings
- Controls receptacles and 120 V/277 V lighting loads from same device

### Quantum Vue™

- Access from any PC or mobile device
- Intuitive design — simple operation
- Provides actionable information that improves the performance of your building

### eTools

- Tools for easier specification, ROI estimation, and product selection

### Caséta™ Wireless Smart Bridge Pro and Lutron app

- Simple and affordable home control from Lutron
- Reliably adjust your lights from anywhere

### Fixture solutions

- High quality illumination
- Fixtures for every application
- Outstanding aesthetics coupled with Lutron technology



Ariadni® 250W C·L® dimmer



Diva® 250W C·L dimmer



Nova T☆® dimmer for 0-10V control

## 250W C·L dimmer

### What does it do?

- Dims up to 250W of dimmable screw-in LEDs and CFLs, and up to 600W of incandescent/halogen loads
- Supports mixed loads on a circuit
- Dims up to 350W maximum of Lutron 2-wire Hi-lume® A-Series LTE LED drivers (8 drivers maximum) for LED fixtures

### Features and benefits

- Patented technology guarantees dimming performance
- Tested and UL Listed to work with nearly 300 LED and CFL bulbs
- First NEMA SSL-7A Type 2 compliant CFL/LED dimmers
- Works with both 65° C and 75° C wiring in retrofit and new construction; no neutral required
- Mixed load support helps future proof dimmer purchase
- Available for Diva and Ariadni

For more information, visit [www.lutron.com/cldimmer](http://www.lutron.com/cldimmer)

## Nova T☆ dimmer for 0-10V control

### What does it do?

- Provides dimming control of 0–10V LED drivers and fluorescent ballasts
- Saves energy by dimming
- Creates ambiance, leading to a better user experience, improving productivity

### Features and benefits

- No power pack required for 120V and 277V installations
- Conforms to IEC 60629 standard
- User adjustable high-end and low-end trim for optimal performance
- Supports Class 2 and 347V installations and wired sensors with the addition of a power pack


For more information, visit [www.lutron.com/novaT](http://www.lutron.com/novaT)



Maestro® dual-technology sensor switch



Maestro dual-technology dual-circuit sensor switch



Maestro® dual-circuit sensor switch

## Maestro dual-technology sensor switch—neutral and non-neutral models

### What does it do?

Senses occupants through passive infrared (PIR) and ultrasonic technology; improves upon PIR XCT™ to detect even very fine motion, such as typing

### Features and benefits

- Utilizes XCT technology for superior sensitivity that prevents false-ons and false-offs
- Easy set up (no dip switches or dials)
- Easy installation (neutral and non-neutral models available)
- Tamper-resistant lens
- Controls all lighting loads (and 120V fans)

For more information, visit [www.lutron.com/occvacsensors](http://www.lutron.com/occvacsensors)

## Maestro dual-circuit sensor switch

### What does it do?


Controls two circuits in one wallbox device. Options include:

- Configurable dual-occupancy, dual-vacancy, or partial-on modes
- Available with PIR XCT™ or dual-technology XCT sensing technology

### Features and benefits

- Meets automatic shut-off and multi-level lighting control requirements (Title 20/24 2013, ASHRAE 90.1-2010 and IECC 2010)
- Durable design including 30+ year relay lifetime (250K cycles) and tamper-resistant lens
- Controls all lighting loads (and 120V fans)
- Smart Ambient Light Detection – product learns customer's preferences

For more information, visit [www.lutron.com/occvacsensors](http://www.lutron.com/occvacsensors)



5A 2-button RF switch

## 5A 2-button RF switch

### What does it do?

Automatically controls a load by communicating with Radio Powr Savr™ sensors and Pico® wireless remotes

### Features and benefits

- Intuitive, easy to use
- Allows the customer to achieve energy savings with a 3 year ROI when combined with a Radio Powr Savr sensor in spaces like classrooms, and the ability to later add Pico wireless remotes, or additional Radio Powr Savr sensors

For more information, visit [www.lutron.com/etp](http://www.lutron.com/etp)



Maestro Wireless® C-L® dimmer

## Maestro Wireless C-L dimmer

### What does it do?

Dims screw-in dimmable LEDs and CFLs, as well as incandescent/halogen loads. It also supports mixed loads on a circuit and MLV.

### Features and benefits

- Lutron's Clear Connect® RF technology and C-L dimming technology in one product
- Customer can future-proof purchases because of dimmer's mixed load support – use it to dim incandescent/halogen loads today and shift to LEDs/CFLs later using the same dimmer
- Easy to install; keep existing wiring when retrofitting (no neutral required)

For more information, visit [www.lutron.com/etp](http://www.lutron.com/etp)



PowPak® dimming module for 0-10V control



Pico® wireless remote with nightlight

## PowPak dimming module for 0-10V control

### What does it do?

Operates up to 5A of 0-10V controlled LED drivers or fluorescent ballasts based on input from Pico® wireless remotes and Radio Powr Savr™ sensors

### Features and benefits

- Super reliable Clear Connect® RF technology; no interference with other devices (such as cell phones)
- Saves energy with occupancy/vacancy sensors
- Simple-to-design solutions with any 0–10V fixture you want

For more information, visit [www.lutron.com/etp](http://www.lutron.com/etp)

## Pico wireless remote with nightlight

### What does it do?

Controls Lutron wireless load-control devices from anywhere in the space

### Features and benefits

- Nightlight is ideal for finding the control when lights are dimmed or off
- Battery-operated; requires no external power or communication wiring (3 year battery life)
- Provides control with all Lutron Clear Connect® systems
- Wall-mounted, on a pedestal, or handheld

For more information, visit [www.lutron.com/etp](http://www.lutron.com/etp)



## NEW FOR LED DRIVERS!

You can quickly and easily get the fixture you want with a Lutron driver thanks to QwikFig™ and Type TL rating.

- Lutron drivers now feature **QwikFig**, which allows your fixture manufacturer to stock a few devices and offer more than 5,000 configurations.
- **Type TL rating** allows the fixture manufacturers to easily swap out their standard driver with a Lutron driver. Lutron is one of the first driver manufacturers to offer Type TL rated products.



5-Series LED driver with EcoSystem® (M case and K case)



UL Listed Hi-lume® A-Series LED Driver

### 5-Series LED driver with EcoSystem

#### What does it do?

Provides smooth, continuous dimming down to 5% with proven system and component reliability

#### Features and benefits

- EcoSystem digital addressability guarantees compatibility, helps meet energy codes and green building standards while using fewer components, accommodates change without rewiring, and provides communication for maintenance reporting
- Superior reliability; designed for a 10-year operating life
- Available in many options to fit your needs:
  - 6–35W (K case for downlights)
  - 15–75W (M case fits into troffers and linear fixtures)
  - 25–50W (CE rated; M case fits into troffers and linear fixtures)
- Works with Energi TriPak®, Energi Savr Node™, GRAFIK Eye® QS, and Quantum®

For more information, visit [www.lutron.com/ecosystem5series](http://www.lutron.com/ecosystem5series)

### UL Listed Hi-lume A-Series LED Driver


#### What does it do?

Provides smooth 1% dimming for tape lights and under counter lights

#### Features and benefits

- Driver can be remote mounted up to 60 feet away from LED source
- Provided with a junction box for easy wire termination
- UL Listed for installation in the field and available at your distributor
- Works with 250W C•L® dimmers, Energi TriPak®, Energi Savr Node™, GRAFIK Eye® QS, and Quantum®

For more information, visit [www.lutron.com/hilumeled](http://www.lutron.com/hilumeled)



EcoSystem® H10-Series reduced wattage ballast

## EcoSystem H10-Series reduced wattage ballasts

### What does it do?

Dims select reduced wattage T8, T5, T5HO lamps to 10%

### Features and benefits

- Continuous, flicker-free dimming from 100% to 10% for selected T8, T5, and T5HO lamps
- Compatible with Energi Savr Node™, GRAFIK Eye® QS, Energi TriPak®, and Quantum®, allowing for integration into an existing or planned EcoSystem® lighting control solution
- Individual control with the EcoSystem Digital Link eliminates the need to rewire, reduces design time, and provides a scalable solution from a small area to an entire building

For more information, visit [www.lutron.com](http://www.lutron.com)

## Single Circuit: 20A PowPak® relay module

## Multiple Circuit: 20A Energi Savr Node™ with Softswitch®

## Panel-based: XP switching module

### What do they do?

- Control 20A receptacles
- Works with Energi TriPak®, Energi Savr Node, Quantum®, and XPS/LCP systems with their auto-off features (occupancy sensing and/or timeclock)

### Features and benefits

- Save energy on lighting AND plug loads
- Single controller capable of doing both lighting control and plug loads, reducing design and installation time
- Control/monitor/manage your plug loads for Quantum from the central software as well as allow third-party systems to do so via BACnet

For more information, visit

[www.lutron.com/etp](http://www.lutron.com/etp)

[www.lutron.com/esn](http://www.lutron.com/esn)

[www.lutron.com/quantum](http://www.lutron.com/quantum)



Single circuit: 20A PowPak relay module



Multiple circuit: 20A Energi Savr Node with Softswitch



Panel-based: XP switching module



## Quantum Vue™


### What does it do?

Quantum Vue is a new, easy to use facility management tool that provides full-system monitoring of electric light and daylight from any device

### Features and benefits

- Access from any PC or mobile device
- Intuitive design — simple operation
- Provides actionable information that improves building performance

For more information, visit [www.lutron.com/quantumvue](http://www.lutron.com/quantumvue)



### Plan

Visual calendar for easy scheduling




### Alert

Instant notification of alerts, such as lamp failure, via email



### Manage

Pinpoint the location of the problem on a graphical floorplan



### Report

Quickly view and export data that drives decision-making




iPad and iPhone are trademarks of Apple® Inc., registered in the U.S. and other countries.  
Android is a trademark of Google Inc. Use of this trademark is subject to Google permissions.

## Lutron Designer+

### What does it do?

Allows users to quickly design Lutron's global commercial systems and generate comprehensive specification documents.



### Features and benefits

- Flexible design work flow that meets different project needs
- Design and configure all major Lutron commercial systems
- Real-time system rules-checking engine ensures valid system design
- Automatically generates one-line diagrams, bills of material, sequence of operations, load schedules, engraving reports and much more

To learn more about Lutron Designer+, please contact your local sales representative


## Lutron Energi Advisor™ app

### What does it do?

Helps the user conduct lighting energy audits and create accurate lighting energy retrofit proposals

### Features and benefits

- Recommends lighting control solution with basic product information
- Audit and proposal process can be completed in a single site visit, saving time and money
- App updates automatically, ensuring the most current product information and energy calculation is used
- Available for iPad® and iPhone®



## ecoInsight/Energi Advisor integration

### What does it do?

Allows ecoInsight's sales tool to access Lutron Energi Advisor's web service to obtain a Lutron retrofit lighting controls solution


### Features and benefits

Allows an ecoInsight user to develop a lighting controls retrofit solution using Lutron devices without having to have expertise in designing Lutron lighting systems



ecoInsight is a registered trademark of ecoInsight, Inc.

iPad and iPhone are trademarks of Apple®, Inc., registered in the U.S. and other countries.



## Lutron Commercial Solutions app

### What does it do?

Provides instant access to brochures, spec sheets, installation sheets, sales presentations, videos, product imagery, promotions, and more

### Features and benefits

- Easily search for, view, and share documents on your iPad®
- Email documents straight from your iPad® to yourself or your customers
- Access high-resolution product and application images



Lutron Smart Bridge Pro

iPhone® with Lutron app

## Caséta™ Wireless Smart Bridge Pro and Lutron app

### What does it do?

Enables control of Caséta Wireless dimmers and Lutron wireless shades from a smart device

### Features and benefits

- Control lights and shades from anywhere—the office, the airport, the beach—so lights aren't left on or shades aren't left open while you're away
- Schedule lights and shades to automatically adjust—via the timeclock—at set times of day
- Integrate light and shade control with select security systems and A/V remote controls

For more information, visit [www.casetawireless.com](http://www.casetawireless.com)



## Lumaris™ LED linear lighting by Ivalo®

### What does it do?

Provides high quality light and dimming with even lines of illumination for under cabinet, cove, step/stair, under counter, shelf/display lighting

### Features and benefits

- High quality 90+ CRI LED
- Smooth, flicker free 1% dimming with Lutron UL Listed driver
- Guaranteed LED and Lutron control compatibility

For more information, visit [www.lutron.com/lumaris](http://www.lutron.com/lumaris)



Lumaris LED linear light bar

## Linear Recessed Volumetric LED fixture

### What does it do?

Provides soft ambient illumination; ideal for open office task lighting, board rooms, meeting rooms, public area lighting

### Features and benefits

- Energy-efficient, full luminous fixture
- Smooth, flicker free 1% dimming with Lutron Hi-Lume® A-Series drivers

For more information, visit [www.lutron.com/linearrecessed](http://www.lutron.com/linearrecessed)



Linear Recessed Volumetric LED fixture

## Aliante® 4ft and 5ft LED pendant and sconce by Ivalo®

### Rotare® LED pendant and sconce by Ivalo

### What does it do?

Provides smooth dimming and even LED light distribution and high color quality for architectural and residential spaces


### Features and benefits

- High quality 90+CRI LED
- Smooth, flicker free 1% dimming with Lutron Hi-Lume® A-Series drivers
- Guaranteed LED and Lutron control compatibility

For more information, visit [www.lutron.com/ivalo](http://www.lutron.com/ivalo)



Aliante LED pendant



Aliante LED sconce



Rotare LED pendant



Rotare LED sconce

[www.lutron.com](http://www.lutron.com)



World Headquarters 1.610.282.3800 | 24/7 Technical Support 1.800.523.9466 | Customer Service 1.888.LUTRON1 (1.888.588.7661)

Lutron Electronics Co., Inc., 7200 Suter Road, Coopersburg, PA 18036-1299

© 05/2014 Lutron Electronics Co., Inc. | P/N 367-2505 REV A

